



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Organization of:

BDC Calibration

Av. Gregorio Luperón #51, Los Restauradores, Santo Domingo, Republica Dominicana 10137

*and hereby declares that the Organization is accredited in accordance with
the recognized International Standard:*

ISO/IEC 17025:2017

Whereby, technical competence has been confirmed for the associated scope supplement, in the fields of:

Environmental and Mechanical Testing (As detailed in the supplement)

Accreditation claims for conformity assessment activities shall only be made from the addresses referenced within this certificate and shall apply solely to those activities identified in the related scope. This Accreditation is granted subject to the Accreditation Body rules governing the Accreditation referred to above, and the Organization hereby commits to observing and complying with those rules in their entirety.

For PJLA:

Initial Accreditation Date:

Issue Date:

Expiration Date:

July 20, 2026

July 20, 2026

October 31, 2028

Accreditation No.:

Certificate No.:

108843

L26-694

Tracy Szerszen
President

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084

*The validity of this certificate is maintained through ongoing assessments based
on a continuous accreditation cycle. The validity of this certificate should be
confirmed through the PJLA website: www.pjlab.com*



Certificate of Accreditation: Supplement

BDC Calibration

Av. Gregorio Luperón #51, Los Restauradores, Santo Domingo, Republica Dominicana 10137

Contact Name: Franco Gigliore Phone: +809-707-0183

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Mechanical	Biological Safety Cabinets (BSC) and Containment Equipment	Airflow velocity (Inflow and Downflow) HEPA/ULPA filter integrity test (Leak Test) Airflow pattern visualization (Smoke Test) Airborne particle count Installation evaluation (Alarms and Sash) Ambient acoustic noise level Illumination level (Lux level) Structural vibration level (RMS) HEPA/ULPA differential pressure	ISO 14644-1:2015 ISO 14644-3:2019 NSF/ANSI 49 - 2022 UNE-EN 12469:2000 EudraLex Vol. 4(2022)	Anemometer Balometer Pressure Meter Aerosol Photometer PAO Generator Smoke Generator (Fogger) Particle Counter (LSAPC) Stopwatch Tape Measure Sound Level Meter Digital Luxmeter Vibrometer (RMS / Amplitude)	F1, F2	O
Mechanical	Fume Hoods Extraction Cabinets	Face velocity Airflow pattern visualization (Smoke Test) Installation and safety device evaluation (Alarms and Sash) Ambient acoustic noise level Illumination level (Lux Level)	ANSI/ASHRAE 110-2016 SEFA 1-2010	Anemometer Smoke Generator Stopwatch Tape Measure Sound Level Meter Digital Luxmeter Tape Measure Vibrometer (RMS / Amplitude)	F1, F2	O
Mechanical	HEPA/ULPA Filter	Integrity test of installed filter systems (Leak Test)	ISO 14644-3:2019	Aerosol Photometer PAO Generator	F1, F2	O



Certificate of Accreditation: Supplement

BDC Calibration

Av. Gregorio Luperón #51, Los Restauradores, Santo Domingo, Republica Dominicana 10137

Contact Name: Franco Gigliore Phone: +809-707-0183

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Mechanical	Clean Rooms, Annexed Premises, and HVAC Systems	Air cleanliness classification by particle count Integrity test of installed filter systems (Leak Test) Measurement of air flow rates and air change rates (ACH) Differential pressure measurement Airflow pattern visualization (Smoke Test) Recovery time test Measurement of noise, illumination, and vibration levels Temperature and Humidity Installation and safety device evaluation (Alarms)	ISO 14644-1:2015 ISO 14644-3:2019 EudraLex Vol. 4(2022)	Particle Counter (LSAPC) Aerosol Photometer PAO Generator Anemometer Balometer Pressure Meter Smoke Generator (Fogger) Sound Level Digital Luxmeter Vibrometer (RMS / Amplitude) Tape Measure Temperature and Humidity Meters	F1, F2	O
Mechanical	Metal Detectors (Food, Pharmaceutical, and Packaging Industry)	Detection sensitivity test (Ferrous, Non-Ferrous, Stainless-Steel particles) Determination of the lowest sensitivity point (Worst-case sensitivity point) Evaluation of rejection mechanism and alarm effectiveness	ASTM D7046 OEM	Certified test standards of Ferrous, Non-Ferrous and Stainless-Steel Materials. Particle Sizes 0.3 mm to 7.0 mm	F1, F2	O



Certificate of Accreditation: Supplement

BDC Calibration

Av. Gregorio Luperón #51, Los Restauradores, Santo Domingo, Republica Dominicana 10137

Contact Name: Franco Gigliore Phone: +809-707-0183

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Environmental	Environmentally monitored areas, isothermal media, controlled areas and chambers (Refrigerators, Freezers, Incubators, Cold Rooms, Climatic Chambers, and Warehouses) Chambers of Transport Vehicles	Spatial distribution mapping of temperature and relative humidity Mean Kinetic Temperature calculation (MKT) Stability Stress tests (Power Failure, Material Handling, Door Opening) Hold-up, Pull-down and Recovery times Alarms tests	WHO TRS 961 (Suppl. 7, 8, 11) USP <1079>	Temperature and Humidity Dataloggers	F1, F2	O

1. Location of activity:

Location

O

Location

Conformity assessment activity is performed onsite at the CABs customer location

2. Flex Code:

F0- Fixed scope item. No deviations allowed to the line item as identified, except for updating to the most recent version of an accredited standard method after verification.

F1- Laboratory has the capability to test a new item, material, matrix, or product similar in composition to item, material, matrix, or product identified on the scope

F2- Laboratory has the capability to introduce the newest revision of an accredited authoritative standard method (with no modifications) identified on the scope

F3- Laboratory has the capability to introduce a parameter/component/analyte to an accredited test method identified on the scope

F4- Laboratory has the capability to introduce a new revision of an accredited non-standard method using the same technology or technique identified on the scope

F5- Laboratory has the capability to introduce a validated method that is equivalent to an accredited method (using same technology or technique) identified on the scope